

OPERATOR'S MANUAL FOR
WESCO BOAT TRAILERS

A regular maintenance program should be implemented to help assure you of dependable service from your WESCO Trailer. The recommended maintenance is stated below.

LUBRICATION: Proper lubrication will reduce friction between moving parts. Any working parts should be lubricated occasionally. Good lubrication will prolong the life of these parts.

WHEEL BEARINGS: Periodically check the amount of grease in the hubs. If more is needed remove cap and insert grease through the zerk fitting in the spindle on the axle. The hubs are a sealed unit and only require periodic maintenance or lubrication. Bearing maintenance is owner's responsibility. We recommend a bearing check twice a year. Always check and pack bearings before you put your trailer up for the winter or an extended period of time.

LIGHTS: Your WESCO Boat Trailer is equipped with lighting, which should be tested after attaching the trailer to the tow vehicle. Check turn signals, brake lights, clearance lights and wiring for proper working condition.

TIRES: Improper inflation will increase wear on a tire. Please check the inflation levels periodically check the sidewall for the manufacturers recommended pressure). Also, have tires balanced periodically. Keeping lug nuts tight is owner's responsibility. Lug nuts on aluminum rims should be checked before you tow your trailer for the first time and at 50 mile and 100 mile increments to ensure they are tight.

TONGUE JACK: It is important not to over extend your jack; doing so will strip or even break the gears.

BRAKES: The brake fluid reservoir should be checked for fluid at least twice a year. Use DOT 3 brake fluid for your brake system. If you have drum brakes you should check shoe adjustment at least once a year. If you have disc brakes you must have use a 5 pin connector – this 5th pin provides a reverse signal to the solenoid to release the brakes as you back up. Both drum and disc brakes should be washed down immediately after use in saltwater.

SALTWATER: Saltwater increases wear on the trailer. If you use your WESCO trailer in saltwater rinse the trailer with fresh water immediately after using it.

DO NOT OVERLOAD TRAILER CAPACITY! For your protection, you may wish to stock a few extra supplies for your trailer. A spare tire and wheel, wheel bearings, bearing grease, tail light bulbs, tie-down lines and road flares may all be useful items to have on hand.

THANK YOU for your purchase of a **WESCO** Boat Trailer and happy, safe trailering!

BOAT TRAILER LIMITED WARRANTY

A: DURATION:

W. C. Manufacturing & Specialty Co. Inc. warrants each WESCO trailer to be free of defects for the following periods to the first user/purchaser only from the date of purchase, and is not transferable. For trailer model years 2015 and older a ONE year Warranty was offered. For trailer year models 2016 and newer follow this policy. All implied warranties of merchantability and fitness for intended use are limited in duration.

- Trailer hubs (Vortex) – 6 years
- Trailer frame – Lifetime on welds
- Trailer Components -- 3 years (refer to exclusions)

B: COVERAGE:

W. C. Manufacturing & Specialty Co. Inc. warrants the following parts to be free from defects in material and workmanship: Winch stand assembly, tongue assembly, frame assembly, and brackets manufactured by W. C. Manufacturing & Specialty Co. Inc. The following items are warranted by other manufacturers and therefore are not included within this warranty: Winch and strap, couplers, lights, brake systems, tires and wheels, axles and bearings, springs, jacks, and rollers.

W. C. Manufacturing & Specialty Co. Inc. will have repaired or replaced at its option any part or parts covered under this warranty at no cost to the owner within 60 days after necessary parts are available. All trailer repairs will be made at W. C. Manufacturing & Specialty Co. Inc. plant in Cayce, SC; unless otherwise agreed upon in writing.

C: EXCLUSIONS:

This warranty specifically does not include:

Due to the highly corrosive conditions a trailer is exposed, rust formation, wood degradation and carpet are not covered.

Damage caused by abuse, negligence, vandalism, lack of maintenance, improper storage, accident, or overloading. Trailer altered or modified in any way.

Use of improperly installed weight distribution hitches in conjunction with hydraulic surge brakes. Damage caused by natural occurrences such as flooding, hurricanes, tornados etc. Any additional damage caused by the owner's failure to promptly notify a WESCO dealer or W. C. Manufacturing Co. Inc. of a discovered defect within 30 days after such discovery.

Any statements, representations or warranties given by dealers or third persons other than those provided herein. Any unit that is part of a rental fleet.

The following consequential damages: loss of time, inconvenience, towing charges, expenses for travel, lodging, telephone and gasoline, personal injury or loss of revenues. Due to the highly corrosive conditions a trailer is exposed to, rust formation is not covered.

D: WARRANTY CLAIM PROCEDURES:

Upon discovery of a defect, the owner must contact a WESCO dealer within 30 days to initiate the corrective action under this warranty upon prior written authorization from W. C. Manufacturing & Specialty Co. Inc. If there is no WESCO dealer within the practical vicinity, the owner is to contact W. C. Manufacturing & Specialty Co. Inc. at 800-624-4592. Maintenance records may be required.

W. C. Manufacturing & Specialty Co. Inc. shall not be liable for any incidental or consequential damages for breach of this or any other warranty, expressed or implied. All claims for shortage must be made within 10 days and accompanied by the packing list. A 20% handling charge will be made on all returns except defective merchandise.

W. C. Manufacturing & Specialty Co. Inc. reserves the right to change construction, specifications, prices and terms without obligation as to trailers already shipped and sold.

PURCHASER WARRANTY REGISTRATION - FACTORY COPY

NAME: LAST _____ FIRST _____ MI _____

STREET ADDRESS _____

CITY _____ STATE _____ ZIP CODE _____

PHONE AREA CODE _____ NUMBER _____

PURCHASED FROM: DEALER NAME _____

CITY _____ STATE _____ ZIP CODE _____

DATE PURCHASED _____ MODEL _____

VIN/SERIAL NO. _____

By signing this warranty registration card I certify that I have read and understand the information provided within this packet, including trailer specifications and maintenance as well as the limited warranty and warranty claim procedures:

DETACH AND MAIL TO ABOVE ADDRESS OR

SCAN AND EMAIL TO
CONTACTUS@WESCOTRAILERS.NET

WC Manufacturing & Specialty Co. Inc. – 2028 Charleston Hwy., Cayce, SC 29033

T 800-624-4592 www.wescotrailers.net



Owners Must Read Before Towing

1. Be sure that the weight on the ball is approximately 10% of the total weight of the boat, motor, and fuel.
2. Check for correct ball size and towing capacity.
3. Be sure that the frame of the trailer is parallel with towing surface.
4. Be sure the coupler is on the ball and the securely latched over the ball.
5. Be sure safety chains are crossed and secured to towing vehicle properly.
6. Be sure tongue jack is retracted and properly secured.
7. Make sure lug nuts are torqued to 90 lbs.
8. Be sure tires are inflated to recommended tire pressure. This information is located on the side wall of the tire.
9. Be sure to maintain grease levels in hubs.
10. Check all lights- side markers, stop indicators, and turn signals-- for proper operation.
11. If trailer is equipped with brakes, check master cylinder for adequate level of brake fluid. Refer to Actuator owner's manual. Also, be sure to hook up breakaway cable to towing vehicle.
12. Have boat securely fastened at bow eye and transom.

